

	Hits	Search Text	DBs
1	2441	(345/102,84,87,88,90,92,50,55).CCLS.	USPAT; US-PGPUB
2	555	((345/102,84,87,88,90,92,50,55).CCLS.) and(LCD adj3 (monito\$4 displa\$4))	USPAT; US-PGPUB
3	1	((345/102,84,87,88,90,92,50,55).CCLS.) and(LCD adj3 (monito\$4 displa\$4))) and (colo\$4 near5 correlatio\$4)	USPAT; US-PGPUB
4	34	((345/102,84,87,88,90,92,50,55).CCLS.) and(LCD adj3 (monito\$4 displa\$4))) and (colo\$4 near5 correcti\$4)	USPAT; US-PGPUB
5	3	((345/102,84,87,88,90,92,50,55).CCLS.) and(LCD adj3 (monito\$4 displa\$4))) and (colo\$4 near5 correcti\$4)) and (optica\$4 near5 senso\$4)	USPAT; US-PGPUB
6	27	((345/102,84,87,88,90,92,50,55).CCLS.) and(LCD adj3 (monito\$4 displa\$4))) and (optica\$4 near5 senso\$4)	USPAT; US-PGPUB
7	516	(LCD adj3 (monito\$4 displa\$4)) and (colo\$4 near5 correctio\$4)	USPAT; US-PGPUB
8	12	(LCD adj3 (monito\$4 displa\$4)) and (colo\$4 near5 correctio\$4)	EPO; JPO; DERWENT; IBM_TDB
9	4933	((345/102,84,87,88,90,92,50,55,103,207,72,77) or (348/687-688,673-674,671,678,181,180) or (382/162,167)).CCLS.	USPAT; US-PGPUB
10	667	((345/102,84,87,88,90,92,50,55,103,207,72,77) or (348/687-688,673-674,671,678,181,180) or (382/162,167)).CCLS.) and(LCD adj3 (monito\$4 displa\$4))	USPAT; US-PGPUB

	Hits	Search Text	DBs
11	59	(( (345/102,84,87,88,90,92,50,55,103,207,72,77) or (348/687-688,673-674,671,678,181,180) or (382/162,167)).CCLS.) and(LCD adj3 (monito\$4 displa\$4)) and (colo\$4 near5 correcti\$4)	USPAT; US-PGPUB
12	3	(( (345/102,84,87,88,90,92,50,55,103,207,72,77) or (348/687-688,673-674,671,678,181,180) or (382/162,167)).CCLS.) and (LCD adj3 (monito\$4 displa\$4)) and (colo\$4 near5 correlatio\$4)	USPAT; US-PGPUB
13	7	(( (345/102,84,87,88,90,92,50,55,103,207,72,77) or (348/687-688,673-674,671,678,181,180) or (382/162,167)).CCLS.) and (LCD adj3 (monito\$4 displa\$4)) and (colo\$4 near5 correcti\$4) and (optica\$4 near5 senso\$4)	USPAT; US-PGPUB
14	4933	(( (345/102,84,87,88,90,92,50,55,103,207,72,77) or (348/687-688,673-674,671,678,181,180) or (382/162,167)).CCLS.	USPAT; US-PGPUB
15	0	("1 and (optica\$4 adj4 senso\$4)").PN.	USPAT; US-PGPUB
16	107	(( (345/102,84,87,88,90,92,50,55,103,207,72,77) or (348/687-688,673-674,671,678,181,180) or (382/162,167)).CCLS.) and (optica\$4 adj4 senso\$4)	USPAT; US-PGPUB

	Hits	Search Text	DBs
17	10	((((345/102,84,87,88,90,92,50,55,103,207,72,77) or (348/687-688,673-674,671,678,181,180) or (382/162,167)).CCLS.) and (optica\$4 adj4 senso\$4)) and (viewin\$4 adj3 angl\$4)	USPAT; US-PGPUB
18	0	optica\$4 adj4 senso\$4 adj viewin\$4 adj4 angl\$4	EPO; JPO; DERWENT; IBM_TDB
19	2	sensio\$4 adj viewin\$4 adj4 angl\$4	EPO; JPO; DERWENT; IBM_TDB
20	12	sensio\$4 adj viewin\$4 adj4 angl\$4	USPAT; US-PGPUB
21	0	("1 and backlight").PN.	USPAT; US-PGPUB
22	334	((((345/102,84,87,88,90,92,50,55,103,207,72,77) or (348/687-688,673-674,671,678,181,180) or (382/162,167)).CCLS.) and backlight	USPAT; US-PGPUB
23	16	((((345/102,84,87,88,90,92,50,55,103,207,72,77) or (348/687-688,673-674,671,678,181,180) or (382/162,167)).CCLS.) and backlight) and ( optical adj5 senso\$4)	USPAT; US-PGPUB
24	16	((((345/102,84,87,88,90,92,50,55,103,207,72,77) or (348/687-688,673-674,671,678,181,180) or (382/162,167)).CCLS.) and backlight) and (optical adj5 senso\$4)	USPAT; US-PGPUB
25	4933	((345/102,84,87,88,90,92,50,55,103,207,72,77) or (348/687-688,673-674,671,678,181,180) or (382/162,167)).CCLS.	USPAT; US-PGPUB

	Hits	Search Text	DBs
26	0	("1 and (backligh\$4 same temperatur\$4 adj4 senso\$4)").PN.	USPAT; US-PGPUB
27	11	(( (345/102,84,87,88,90,92,50,55,103,207,72,77) or (348/687-688,673-674,671,678,181,180) or (382/162,167)).CCLS.) and (backligh\$4 same temperatur\$4 adj4 senso\$4)	USPAT; US-PGPUB
28	11	(( (345/102,84,87,88,90,92,50,55,103,207,72,77) or (348/687-688,673-674,671,678,181,180) or (382/162,167)).CCLS.) and (backligh\$4 same temperatur\$4 adj4 senso\$4)	USPAT; US-PGPUB
29	5	(( ((345/102,84,87,88,90,92,50,55,103,207,72,77) or (348/687-688,673-674,671,678,181,180) or (382/162,167)).CCLS.) and (backligh\$4 same temperatur\$4 adj4 senso\$4)) and (temperatur\$4 same constan\$4)	USPAT; US-PGPUB
30	2	(( ((345/102,84,87,88,90,92,50,55,103,207,72,77) or (348/687-688,673-674,671,678,181,180) or (382/162,167)).CCLS.) and (backligh\$4 same temperatur\$4 adj4 senso\$4)) and (temperatur\$4 same thermistor)	USPAT; US-PGPUB
31	4933	(( (345/102,84,87,88,90,92,50,55,103,207,72,77) or (348/687-688,673-674,671,678,181,180) or (382/162,167)).CCLS.	USPAT; US-PGPUB
32	0	("1 and backlight\$4").PN.	USPAT; US-PGPUB

	Hits	Search Text	DBs
33	411	((((345/102,84,87,88,90,92,50,55,103,207,72,77) or (348/687-688,673-674,671,678,181,180) or (382/162,167)).CCLS.) and backlight\$4	USPAT; US-PGPUB
34	4	((((345/102,84,87,88,90,92,50,55,103,207,72,77) or (348/687-688,673-674,671,678,181,180) or (382/162,167)).CCLS.) and backlight\$4) and (dut\$4 adj4 facto\$4)	USPAT; US-PGPUB
35	133	((((345/102,84,87,88,90,92,50,55,103,207,72,77) or (348/687-688,673-674,671,678,181,180) or (382/162,167)).CCLS.) and backlight\$4) and (inverte\$4)	USPAT; US-PGPUB
36	2	(((((345/102,84,87,88,90,92,50,55,103,207,72,77) or (348/687-688,673-674,671,678,181,180) or (382/162,167)).CCLS.) and backlight\$4) and (dut\$4 adj4 facto\$4)) and (inverte\$4)	USPAT; US-PGPUB
37	10	((((345/102,84,87,88,90,92,50,55,103,207,72,77) or (348/687-688,673-674,671,678,181,180) or (382/162,167)).CCLS.) and (LCD adj3 (monito\$4 displa\$4)) and (colo\$4 near5 correcti\$4) and (optica\$4 near5 senso\$4)	USPAT; US-PGPUB
38	11	((((345/102,84,87,88,90,92,50,55,103,207,72,77) or (348/687-688,673-674,671,678,181,180) or (382/162,167)).CCLS.) and (optica\$4 adj4 senso\$4)) and (viewin\$4 adj3 angl\$4)	USPAT; US-PGPUB

	Hits	Search Text	DBs
39	124	(LCD adj3 (monito\$4 displa\$4)) and (colo\$4 near5 correcti\$4) and (optica\$4 near5 senso\$4)	USPAT; US-PGPUB
40	0	(LCD adj3 (monito\$4 displa\$4)) and (colo\$4 near5 correcti\$4) and (optica\$4 near5 senso\$4)	EPO; JPO; DERWENT; IBM_TDB
41	47	(LCD adj3 (monito\$4 displa\$4)) and (optica\$4 near5 senso\$4)	EPO; JPO; DERWENT; IBM_TDB
42	1396	(LCD adj3 (monito\$4 displa\$4)) and (optica\$4 near5 senso\$4)	USPAT
43	207	(LCD adj3 (monito\$4 displa\$4)) and (optica\$4 near5 senso\$4) and (temperature adj sensor)	USPAT
44	3	(LCD adj3 (monito\$4 displa\$4)) and (optica\$4 near5 senso\$4) and ((temperature adj sensor) near3 (lamp (light adj source)))	USPAT
45	3	(LCD adj3 (monito\$4 displa\$4)) and (optica\$4 near5 senso\$4) and ((temperature adj sensor) near5 (lamp (light near3 source)))	USPAT
46	37	(LCD adj3 (monito\$4 displa\$4)) and (optica\$4 near5 senso\$4) and ((temperature adj sensor) with (lamp (light near3 source)))	USPAT
47	0	(LCD adj3 (monito\$4 displa\$4)) and (optica\$4 near5 senso\$4) and RGB adj sensors	USPAT
48	2	(LCD adj3 (monito\$4 displa\$4)) and (optica\$4 near5 RGB near5 senso\$4)	USPAT

	Hits	Search Text	DBs
49	407	(LCD adj3 (monito\$4 displa\$4)) and ((RGB separate distinct) near5 senso\$4)	USPAT
50	8	(LCD adj3 (monito\$4 displa\$4)) and ((RGB) adj senso\$4)	USPAT
51	29	(LCD adj3 (monito\$4 displa\$4)) and ((RGB) near5 senso\$4)	USPAT
52	0	(LCD adj3 (monito\$4 displa\$4)) and ((RGB separate distinct) near5 senso\$4) and (sensors adj on adj LCD)	USPAT
53	21	(LCD adj3 (monito\$4 displa\$4)) and ((RGB separate distinct) near5 senso\$4) and (sensors near3 LCD)	USPAT
54	2	(LCD adj3 (monito\$4 displa\$4)) and ((RGB) near5 senso\$4) and (sensors near3 LCD)	USPAT
55	707	(LCD adj3 (monito\$4 displa\$4)) and (optica\$4 adj senso\$4)	USPAT
56	0	(LCD adj3 (monito\$4 displa\$4)) and ((optica\$4 adj senso\$4) adj3 surface adj3 LCD)	USPAT
57	0	((optica\$4 adj senso\$4) adj3 surface adj3 LCD)	USPAT
58	0	((optical adj sensor) near5 (surface adj LCD))	USPAT
59	0	((optical adj sensor) near5 (on adj LCD))	USPAT
60	13	((optical adj sensor) near5 (LCD))	USPAT
61	0	LCD and (RGB adj3 sensors) and ((light adj3 emission) near4 control)	USPAT; US-PGPUB

	Hits	Search Text	DBs
62	4	LCD and (RGB near5 sensors) and ((light) with control)	USPAT; US-PGPUB
63	4	LCD and (RGB near5 sensors) and ((light) with control)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
64	8	LCD and (RGB with sensors) and ((light) with control)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
65	16	(LCD adj3 (monito\$4 displa\$4)) with (optica\$4 adj senso\$4)	USPAT
66	0	6388716.URPN.	USPAT
67	11	("4340904"   "4547797"   "4742387"   "5270817"   "5287176"   "5546134"   "5596375"   "5739871"   "5956014"   "5969709"   "6072540").PN.	USPAT
68	0	(LCD adj3 (monito\$4 displa\$4)) with (RGB adj senso\$4)	USPAT
69	8	(LCD adj3 (monito\$4 displa\$4)) and (RGB adj senso\$4)	USPAT
70	23	(LCD adj3 (monito\$4 displa\$4)) and (RGB adj5 senso\$4)	USPAT
71	10	(LCD adj3 (monito\$4 displa\$4)) and (RGB adj senso\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB
72	2	((LCD adj3 (monito\$4 displa\$4)) and (RGB adj senso\$4)) not ((LCD adj3 (monito\$4 displa\$4)) and (RGB adj senso\$4))	USPAT; EPO; JPO; DERWENT; IBM_TDB



	Hits	Search Text	DBs
73	83	(LCD near5 (monito\$4 displa\$4)) and (RGB near6 senso\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
74	45	(LCD near5 (monito\$4 displa\$4)) and (RGB near6 senso\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB
75	633	(monito\$4 displa\$4) and ((R near G near B) near6 senso\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB
76	90	(LCD with (monito\$4 displa\$4)) and ((R near G near B) near6 senso\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB
77	2	(LCD with (monito\$4 displa\$4)) with ((R near G near B) near6 senso\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB
78	28	(monito\$4 displa\$4) with ((R near G near B) near6 senso\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB
79	34	(monito\$4 displa\$4) with ((R near4 G near4 B) near6 senso\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB
80	33	(monito\$4 displa\$4) with ((R adj4 G adj4 B) near6 senso\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB
81	6	((monito\$4 displa\$4) with ((R near4 G near4 B) near6 senso\$4)) not ((monito\$4 displa\$4) with ((R near G near B) near6 senso\$4))	USPAT; EPO; JPO; DERWENT; IBM_TDB
82	36	((R near4 G near4 B) near6 ((distinct separate) near5 senso\$4))	USPAT; EPO; JPO; DERWENT; IBM_TDB
83	47	((R near4 G near4 B) near6 ((distinct separate) near5 senso\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
84	11	((R near4 G near4 B) near6 ((distinct separate) near5 senso\$4))) not ((R near4 G near4 B) near6 ((distinct separate) near5 senso\$4)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
85	41	((R adj4 G adj4 B) near6 ((distinct separate) near5 senso\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
86	10	((R adj4 G adj4 B) near6 ((distinct separate) near5 senso\$4))) not ((R near4 G near4 B) near6 ((distinct separate) near5 senso\$4)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
87	31	((R adj4 G adj4 B) near6 ((distinct separate) near5 senso\$4))	USPAT; EPO; JPO; DERWENT; IBM_TDB
88	82	((R near4 G near4 B) near10 ((distinct separate) near10 senso\$4))	USPAT; EPO; JPO; DERWENT; IBM_TDB
89	46	((R near4 G near4 B) near10 ((distinct separate) near10 senso\$4))) not ((R near4 G near4 B) near6 ((distinct separate) near5 senso\$4)))	USPAT; EPO; JPO; DERWENT; IBM_TDB